



*State of New Jersey*

Chris Christie  
*Governor*

Office of the Attorney General  
Department of Law and Public Safety  
Division of Gaming Enforcement  
1300 Atlantic Avenue  
Atlantic City, NJ 08401

Jeffrey S. Chiesa  
*Attorney General*

Kim Guadagno  
*Lt. Governor*

David Rebuck  
*Director*

June 5, 2012

Michael A. Magazzu, Esquire  
Corporate Counsel  
Caesars Entertainment, Eastern Division  
c/o Bally's Atlantic City  
Park Place and The Boardwalk  
Atlantic City, New Jersey 08401

RE: Petition #1431202

Dear Mr. Magazzu:

The staff of the Division of Gaming Enforcement's (Division) Regulatory Enforcement Bureau has reviewed Petition #1431202 filed by the Boardwalk Regency Corporation d/b/a/ Caesars Atlantic City Atlantic City dated May 22, 2012, and an amended letter to supplement the above referenced petition dated May 31, 2012. Caesars is seeking approval to amend its Certificate of Operation and Casino Hotel Alcoholic Beverage (CHAB) License.

The Caesars casino is currently operating under a Certificate of Operation which was approved in Petition #0101203 on January 19, 2012, by the Division of Gaming Enforcement.

By Petition #1431202, Caesars seeks approval to complete modifications to its casino floor as depicted on the architectural drawing labeled PCO-142A and PCO-142B dated May 4, 2012, which was prepared and certified by R2Architects, David J. Rudzenski, AIA, License #08443.



(609) 441-3106

*New Jersey Is An Equal Opportunity Employer • Printed on Recycled Paper and Recyclable*

**The petitioner proposes the following:**

1. The VIP entrance to the Dusk Nightclub has been modified to reduce the casino space by twenty-six (26) square feet.
2. Slot Zone A Remove sixteen (16) slot machines and slot stools.
3. Slot Zone E Remove eight (8) slot machines and slot stools.
4. Slot Zone F Remove four (4) slot machines and slot stools.
5. Slot Zone G Remove forty-eight (48) slot machines and slot stools.
6. Slot Zone J Remove twelve (12) slot machines and slot stools.
7. Slot Zone L Remove thirteen (13) slot machines and slot stools.
8. Pit #1 Remove two (2) tables, add four (4) tables, and rename eight (8) tables.
9. Pit #2 Remove six (6) tables, relocate two (2) tables, rename two (2) tables and add six (6) tables.
10. Pit #3 Remove six (6) tables and add eight (8) tables.
11. Pit #4 Remove six (6) tables, add nine (9) tables, relocate five (5) tables and rename four (4) tables.
12. Pit #5 Rename two (2) tables.
13. Pit #6 Remove six (6) tables and add four (4) tables.
14. Pit #7 Remove six (6) tables and add four (4) tables.
15. Pit #8 Remove ten (10) tables, rename five (5) tables and add ten (10) tables.
16. Pit #9 Remove four (4) tables, relocate two (2) tables, rename five (5) tables and add four (4) tables.

17. Pit #12 Relocate thirteen (13) tables and rename thirteen (13) tables.
18. Pit #12 (Alternate) Remove one (1) table and add one (1) table.
19. Pit #15 Relocate three (3) tables, rename three (3) tables, remove one (1) table and add one (1) table.
20. NRT machines Renumber existing NRT machines.

**The summary of the statistical calculations is as follows:**

1. A decrease of one hundred one (101) slot machines and one hundred one (101) slot stools. The total number of slot machines is **2,236** and the total number of slot stools is **2,231**.
2. A decrease of two (2) table games for a new total of **177** table games.
3. The casino floor area will be reduced from one hundred eleven thousand eight hundred twelve (**111,812**) square feet to one hundred eleven thousand seven hundred eighty-six (**111,786**) square feet. The Simulcast area will remain the same at twenty-eight thousand nine hundred sixty-three (**28,963**) square feet. The total gaming area, including Simulcast, will then be one hundred forty thousand seven hundred forty-nine (**140,749**) square feet.
4. The allowable slot coverage (90% of 140,749 sq. ft.) is one hundred twenty-six thousand six hundred seventy-four (**126,674**) square feet.
5. The actual slot coverage is eighty-eight thousand four hundred fifteen (**88,415**) square feet which is **62.8%** of the total gaming area and within the allowable 90% for slot density.

Based on the Division's authority, the requested amendments to Caesars Certificate of Operation and CHAB license as set forth above, are hereby granted pursuant to N.J.A.C. 13:69C-7.1, et seq. This approval authorizes a casino room containing and consisting of **140,749** square feet of total gaming space, **177** table games, **2,236** slot machines and **2,231** slot stools.

Since the casino floor area has been reduced, smoking areas should be changed accordingly. Please note that the designation of smoking areas in casinos is subject to the jurisdiction of the N.J. Department of Health and Senior Services and the Atlantic City Department of Health and Human Services, not the Division. Accordingly, this letter should in no way be construed as approving areas of the gaming floor for smoking.

**This approval is subject to the following conditions:**

- A. That revised operational blueprints reflecting the changes approved herein be submitted to the Division's Regulatory Enforcement Bureau, casino licensee's security podium and the casino licensee's CCTV monitoring room;
- B. That a revised Table Game and Roulette Wheel inventory list are submitted to the in-house Division office;
- C. That a revised Slot Master List is submitted to the Technical Service Bureau of the Division;
- D. That Caesars notify the Technical Service Bureau of the Division prior to the removal of any Caribbean Stud Poker table;
- E. That Caesars notify the Division immediately in the event of any modification to the approvals granted herein;
- F. That Caesars complies with CCTV requirements identified in N.J.A.C. 13:69D-1.10 regarding the requirements to record all gaming tables whether active or inactive;
- G. That all events capable of being monitored must be accessible from the Division's CCTV monitoring system as required by N.J.A.C. 13:69D-1.10(a)3;
- H. That Caesars complies with all requirements and conditions appended to approvals received from all involved agencies of government whose approvals are required in order for a Certificate of Occupancy for the general public to be issued including, but not limited to, the Department of Community Affairs and the local construction official; and,

Michael Magazzu, Esquire  
Page 5  
June 5, 2012

- I. Once modifications have been completed, a satisfactory inspection and approval by the Division is required to ensure the changes made conform to the petition. The review also includes, but is not limited to, an assessment of the adequacy of CCTV and security coverage. Such inspection must be done **prior to the proposed areas being used for gaming activity.**

To schedule an inspection, please contact the Division at [inspections@njdge.org](mailto:inspections@njdge.org).

If you have any questions, please do not hesitate to contact Bill Kendzierski of my staff at 441-7557.

Sincerely,

A handwritten signature in cursive script, reading "Don Errera", followed by a long horizontal line extending to the right.

Don Errera, Deputy Chief  
Regulatory Enforcement Bureau

C: MF  
Chuck Kimmel, DGE  
Lisa Spengler, DGE  
DGE Intake Unit  
C-03-12-018